



### WHAT IT'S FOR

- ✓ Protects and enhances the colour of surfaces in natural stone.
- ✓ Increases the sheen of polished surfaces.



### MATERIALS

- GRANITE
- MARBLE
- CONCRETE AND MARBLE AGGLOMERATES
- NATURAL STONE



### ADVANTAGES

- Non-film forming penetrating product.
- Breathable<sup>1</sup>.
- UV resistant (ASTM G154).
- Does not yellow.
- Colour-enhancing.
- Water- and oil-repellent<sup>2</sup>.

<sup>1</sup> Vapour permeability tests in compliance with EN ISO7783-2

<sup>2</sup> DIN 52617: 1979 Capillary absorption measured on calcareous surface: surface absorption goes from 9% on untreated to 0.8% on treated material



### HOW TO USE IT

**Dilution.** The product can be used undiluted, or diluted 1:1 in demineralised water, depending on the kind of material.

**Application.** Drip method for polished materials or airless system for unpolished surfaces. Completely remove any surface residue using brushes fitted with white Scotch Brite or microfibre discs.

**How much to use.** Depends on application line.

**Protection after installation.** Initial cleaning: FILACLEANER.

**Protection:** FILAMP90 for a natural effect, FILASTONE PLUS for a colour-enhancing effect.

**Warning:** at the end of the work session, flush the system with running water.



### OPERATORS & SYSTEMS

Contains no hydrocarbon solvents, so no aspiration system is required.

Technically odourless, does not contain hydrocarbon solvents.

No PPE necessary (Personal Protective Equipment).

We recommend gloves be worn when handling the product.

**Composition:** Blend of water-dispersed silicone emulsions.

**Shelf life:** 2 years for sealed product stored indoors at a temperature of 20°C.

**Sizes:** 100 litre cans.  
1.000 litre cubes.

#### Chemical-physical characteristics



- Appearance: liquid
- Colour: milky white
- Odour: typical of resin
- Density: 1.005 kg/l
- Not flammable (flammability: >60°C)
- Storage temperature: from 5° to 30°C
- Application temperature: from 5° to 30°C
- Maximum temperature of the surface: 40°C
- Not dangerous for transport

#### Safety warnings



Causes skin irritation.