



- POLISHED MARBLE
- POLISHED AGGLOMERATES
- NATURAL STONES
- POLISHED LIMESTONE



### WHAT IT'S FOR

- Professional product which restores sheen to worn surfaces.
- Ideal for crystallizing natural polished limestone (marble, travertine) and polished agglomerates.

### ADVANTAGES

- Rapidly restores the natural sheen to materials.
- Easy to apply and maintain.
- Keeps the surface shiny while making it resistant to wear.
- Anti-slip polishing.
- Increases traffic resistance.
- Worn material easily and quickly regains over 90% of its original shine (mean value obtained with lab testing).

### HOW IT'S USED

**No dilution required: ready to use.**

**Application:**

Shake well before use and apply using an airless pump. Before applying, clean the floor and remove any wax residues to ensure perfect crystallization. Wash the floor with a degreaser wax remover. We recommend to use FILAPS87 diluted 1:10. Rinse thoroughly and allow to dry. Once the surface is clean and dry, spray a small amount of FILAKRISTALL PLUS over a small area, around 20 sf. ft., and work the product evenly over the surface using a single-disc machine with a white disc pad (recommended speed 150 rpm). As soon as the white disc pad meets resistance, replace it with a stainless steel wool disc pad and continue for a few minutes until the desired polished effect is achieved (recommended speed 400 rpm). Repeat the procedure for the rest of the surface being treated. Wipe the surface with a dry soft cotton cloth or paper towel to remove the steel wool fibers. Repeat the steps above until you reach the desired level of gloss.

### COVERAGE

**With one litre (1,06 QT):**

**50 m<sup>2</sup> / 538 sq ft**

"Coverage rates are approximate and refer to a single coat of the product"

**Caution:** Avoid puddles on the floor and dripping of the product from the container. Do not use on non-limestone surfaces such as granite, quartzite or sandstone in general. Caution: Avoid contact with materials such as wood, terracotta, ceramic and metal (edges in steel and aluminium). Carry out a spot test beforehand to check the effect of the treatment.

### Packaging

1 liter (1,06 QT) flasks in box of 6.

#### PRECAUTIONS

- Acidic product
- Use protective goggles and rubber gloves.
- Separation of the product in no way compromises its effectiveness.
- Avoid contact with eyes and skin.
- Product in emulsion. Do not freeze.

#### TEMPERATURE

Storage temperature: between 50° F (10° C) and 86° F (30° C). Must be applied to material at temperatures between 50° F (10° C) and 86° F (30° C).

#### COMPOSITION

Water-based emulsion of natural and synthetic waxes, non-ionic surfactants, polymer suspension, inorganic acid.

#### LABELLING

**WARNING:** CAN IRRITATE THE EYES. Harmful if swallowed Contains Magnesium Fluorosilicate. Keep out of the reach of children. SKIN CONTACT: Flush with running water. Launder contaminated clothing before reuse. EYES CONTACT: Flush with running water for 15 minutes. Get medical assistance. If swallowed, If conscious, drink several glasses of water. Call a poison control center or doctor. Do not induce vomiting unless directed to do so by a physician.

#### TECHNICAL INFORMATION

**Appearance:** liquid  
**Odour:** cream/hazelnut  
**Density:** 1.09 kg/liter  
**Solubility:** soluble in water  
**pH:** 2.1

The information above reflects our latest technical know-how and is the outcome of ongoing laboratory research and testing. However, some factors are beyond our control. It is essential to integrate our suggestions with your own on-site preliminary tests and check. Fila accepts no liability for improper use of its products.