




- TERRACOTTA
- QUARRY TILES
- PORCELAIN
- UNPOLISHED MARBLE AND AGGLOMERATES
- GLAZED CERAMIC TILES
- CONCRETE
- WALLS



### WHAT IT'S FOR

- Removes graffiti from both treated and untreated walls: It is especially useful on rough or porous surfaces (concrete, brick veneers, natural stone, etc.).
- Penetrating detergent and grease remover.
- Removes grime and dirt from external walls.
- Removes filmy and paint layers from terracotta ("oxblood" type).

### ADVANTAGES

- Easy to use.
- Ready to use: no dilution required.
- Not corrosive.

### HOW IT'S USED

**Do not dilute:** Ready to use.

**Application:**

1. Spread directly on the wall with a flat brush or using the airless method.
2. Leave to act for a minimum of 5 minutes.
3. Rub with scrubbing pad.
4. Rinse. For the best results, use a water-jet cleaner.

*Repeat application and rinsing if necessary (e.g. on porous surfaces such as brick veneers, natural stone, etc.).*

### Packaging

1.06 qt (1 liter) flasks in box of 12.

<p><b>PRECAUTIONS</b></p> <ul style="list-style-type: none"> <li>• Keep out of the reach of children.</li> <li>• Dispose of the container properly after use.</li> </ul> <p><b>TEMPERATURE</b> Storage temperature: between 41° F (5° C) and 86° F (30° C). Must be applied to material at temperatures between 41° F (5° C) and 86° F (30° C).</p>
---

<p><b>LABELLING</b> CAUTION – IRRITANT Contains 1-methoxy-2-propanol and n-butyl acetate. If in eyes, rinse with water for 15 minutes and call physician. If on skin, rinse well with water. If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. Keep Out of the Reach of Children.</p>	<p><b>TECHNICAL INFORMATION</b> <b>Appearance:</b> liquid <b>Color:</b> yellowish <b>Odour:</b> penetrating <b>Density:</b> 1.023 kg/litre <b>pH:</b> 5.5</p> <p><i>The information above reflects our latest technical know-how and is the outcome of ongoing laboratory research and testing. However, some factors are beyond our control. It is essential to integrate our suggestions with your own on-site preliminary tests and check. Fila accepts no liability for improper use of its products.</i></p>
---	---